
SYSTEM AND METHOD FOR SELECTING A WIRELESS SERVING NODE Inventor: Jerzy W. Miernik (Page 1 of Express Mail No. EL501045015US 062891.0

(Page 1 of 6) 062891.0661

1/6



= ļ. . [[] ļ.: . offer that will



SYSTEM AND METHÓD FOR SELECTING A WIRELESS SERVING NODE

Inventor: Jerzy W. Miernik Express Mail No. EL501045015US (Page 2 of 6) 062891.0661

2/6





FIG. 2




111



SYSTEM AND METHOD FOR SELECTING A WIRELESS SERVING NODE


Inventor: Jerzy W. Miernik Express Mail No. EL501045015US (Page 3 of 6) 062891.0661



SYSTEM AND METHOD FOR SELECTING A WIRELESS SERVING NODE

Inventor: Jerzy W. Miernik Express Mail No. EL501045015US (Page 4 of 6) 062891.0661

4/6



... Here the control of the control


£.L



SYSTEM AND METHOD FOR SELECTING A WIRELESS SERVING NODE

Inventor: Jerzy W. Miernik Express Mail No. EL501045015US (Page 5 of 6) 062891.0661

5/6



ļ.

SYSTEM AND METHOD FOR SELECTING A WIRELESS SERVING NODE

Inventor: Jerzy W. Miemik Express Mail No. EL501045015US (Page 6 of 6) 062891.0661

6/6

